

Sales | Service | Hire



# PATIENT HANDLING HOISTS & SLINGS











## Invacare® Birdie EVO Compact

The Birdie EVO Compact hoist folds easily without needing to use tools, making it easy to transport and convenient to store when space is limited. The compact base makes moving it through narrow doorways simple, while the curved design of the legs allows easy access to comfort chairs and power wheelchairs. As a result, the Birdie Compact is a popular choice for use at home or in aged care facilities.

The Birdie EVO Compact includes all the new improved features of the EVO range, including the new user-friendly hooks, Smartlock™ quick release

The improved curved spreader bar and curved boom design, makes it easier to maintain eye contact with the patient while transferring. With the choice of spreader bars and a full sling range, you are ensured flexibility to suit every individual's needs.

spreader bar attachment and ergonomic push handle.



Compact and easily manoeuvrable
Tool-less folding for compact storage
Ergonomic push bar and 100mm
castors for easy moving
Slow'R dampener to reduce rocking
Smartlock™ Quick release
attachment system
Includes 2-point spreader bar

Includes 2-point spreader bar

Detachable battery pack

New user-friendly hook design



| Width | Length | Max Spread | Arm Height | Clearance | Product<br>Weight | Warranty   | S.W.L. |
|-------|--------|------------|------------|-----------|-------------------|--|--------|
| 52cm  | 108cm  | 81.5cm     | 53 - 159cm | 11cm      | 31kg              | Frame-3 years<br>Electronics-2 years<br>Battery-1 year | 150kg  |



## Invacare® Birdie EVO (& XPLUS) Hoist

The Birdie EVO hoist is based on the original Birdie lifter but incorporates new features and improvements. The popular choice for nursing or care home environments, it allows for maximum space, even when the lifter is in its highest position, enabling a comfortable lift and transfer for the user. The user can be easily rotated 360° while being lifted, making moving and transferring between a bed, chair or wheelchair much easier. The Birdie is even capable of lifting a patient from the floor.

The leg width is electrically or mechanically adjustable, with a minimum width of 64cm and a maximum spread up to 102cm. The curved design of the legs allow for easy movement around comfort chairs or power wheelchairs. The Birdie EVO is easily folded without needing to use tools, thereby taking up

Maximum space for user during lift - can lift from floor

Tool-less folding for compact storage

Electric leg adjustment

Smartlock guick release attachment system

Includes 2-point spreader bar

Detachable battery pack



Improved ergonomic hook design for easier sling attachment





minimal space & making storage & transport easier.

|           | Width | Length | Max Spread | Arm Height   | Clearance | Product<br>Weight | Warranty                              | S.W.L. |
|-----------|-------|--------|------------|--------------|-----------|-------------------|---------------------------------------|--------|
| EVO       | 64cm  | 122cm  | 102cm      | 41.5 - 166cm | 11cm      | 40kg              | Frame - 3 years Electronics - 2 years | 180kg  |
| EVO XPLUS | 64cm  | 128cm  | 102cm      | 41.5 - 166cm | 11cm      | 41kg              | Battery-1 year                        | 210kg  |



#### Novis LiftAid 180 Hoist

The LiftAid 180 is a lightweight, mobile lifter that is easy to use and allows lifting and transferring from floor, bed or chair. The soft start/stop function and low lifting height provides optimum comfort and safety for both patient and carer.

The upright mast with angled boom has three height settings so it can be set to best match environmental and lifting needs. The U-shaped base is electrically operated while the wide flanged front leg opening offers improved stability and easier access around furniture. The mast can also be removed from the base without using tools so that the unit can be more easily transported and compactly stored.

The handheld controller features simple push buttons for raising and lowering the lifter as well as opening / closing the base legs.

Comes standard with 2-point yoke spreader bar with quick release clips. It also offers the option of a pivot frame for enhanced patient positioning during lifting.



3 height settings

- tool-less adjustment

Quick release hook system

Electrically operated base

Handheld controller

Emergency stop

Manual emergency lowering

Optional Pivot Frame

Compatible with range of slings



| Width  | Length | Max Spread | Lift Height                       | Clearance | Product<br>Weight | Warranty  | S.W.L. |
|--------|--------|------------|-----------------------------------|-----------|-------------------|---|--------|
| 61.5cm | 109cm  | 101cm      | 43 - 181cm<br>(3 height settings) | 12.5cm    | 35.3kg            | Lifter   Actuator:<br>2 years<br>Battery - 1 year | 180kg  |



#### Novis LiftAid 320 Hoist

The LiftAid 320 is a heavy duty mobile lifter most suitable for professional care and rehabilitation settings. The armrests assist with gait training and toileting, but can be easily folded down to maximise lifting space or ensure compact storage when not needed.

The mast can also be easily removed from the base without the need to use tools to allow for more compact storage.

For patients who can support some of their own weight, the gait training vest can be used during mobility training or hygiene routines.

The three height settings make it possible to accommodate lifting and transfers from the floor, chair or bed. The electronic handheld controller is used to adjust the lift height as

well as the leg spread.



Heavy duty, full feature lifter

Fold down armrests

Suitable for gait training

U-shaped base for enhanced stability

Electronic handheld controller for height adjustment and leg spread

Full range of compatible slings

Quick release spreader bar attachment



| Width  | Length | Max Spread | Lift Height | Clearance | Product<br>Weight | Warranty  | Max User<br>Weight |
|--------|--------|------------|-------------|-----------|-------------------|---|--------------------|
| 79.5cm | 141cm  | 67 - 107cm | 60 - 199cm  | 16cm      | 63.2kg            | Lifter-2 years<br>Electronics-2 years<br>Battery-1 year | 320kg              |



### INVACARE ISA Stand Assist

The ISA stand assist lifter is designed to support transfers for people with some weight bearing ability but who are unable to stand unaided. The intuitive design enables family members and carers to easily affect an efficient lift, while the flexible adjustments allow for adaptation to the needs of a wider range of body types without compromising on the ergonomic function.

New ergonomic design features, such as more naturally shaped hand grips assist those with limited dexterity while the wide range of settings for the lower leg support comfortably accommodates many different leg lengths. The extendable lifting arm can easily be set according to the body shape and height required and this makes the ISA a practical choice for Community or Residential Care settings where it may be used for multiple people.

Flexible adjustments

Adapts to wide range of body types

Ergonomic design for user and carer

Easily dismantled without tools

Ergonomic push bar shape

Anti-slip foot pedal

Curved legs for easy manoeuvring around chairs and toilet bases

Flexible secure sling hooks

Two stand assist sling options

Leg band option for improved stability

Footplates for shorter or taller individuals







|         | Base Width | Base<br>Length | Max Leg<br>Spread | Castor Size<br>(Front Rear) | Lifting Range | Product<br>Weight | Warranty                             | S.W.L. |
|---------|------------|----------------|-------------------|-----------------------------|---------------|-------------------|--------------------------------------|--------|
| Compact | 53.5cm     | 92.5cm         | 73.5cm            | 10cm   10cm                 | 50.5 - 67.5cm | 43kg              | 5 year - frame                       | 140kg  |
| XPlus   | 64cm       | 128cm          | 102cm             | 10cm   12.5cm               | 50.5 - 67.5cm | 52kg              | 2 year - handset<br>1 year - battery | 200kg  |



### Standing Aid Mobi Pro Flexi

The Mobi Pro Flexi is an ergonomic and compact mobile assistive mobility device ideal for people with low leg strength and some trunk balance who experience difficulty walking.

With its rotating padded seats and knee support, the Mobi Pro Flexi is an excellent substitute for a wheelchair and its small turning radius makes it ideal for smaller spaces.

it can be adapted to work with most seating and it can safely be used in a moisture area such as a toilet. The Mobi Pro Flexi features

rear castor brakes for added security and is virtually maintenance free.

Encourages patient mobility and independence
Easy transfer to and from a toilet area
Accommodates most seating types
Allows eye contact between caregiver and patient
Minimizes manual handling by caregiver thus increasing
caregiver safety



With the seats rotated upwards, bring the Mobi Pro Flexi towards the patient. The legs can be adjusted depending on the transfer. Engage the brake.



The patient rests their feet on the footplate and firmly grasps the handles to raise themselves. Swivel the seat pads into position so the patient can sit and then proceed with transfer.

| Length | Width  | Height | Leg<br>Adjustment | Wheel Size | Product<br>weight | Warranty | S.W.L. |
|--------|--------|--------|-------------------|------------|-------------------|----------|--------|
| 97cm   | 58.5cm | 104cm  | 43 - 70cm         | 7.5cm      | 19.5kg            | 5 years  | 150kg  |



## No-LIFT TRANSFER Convertible Chair

What if one carer could safely transfer even a bariatric, non-ambulant patient all by themselves, without the risk of injury and still ensure patient safety and dignity? Using a hoist to transfer a patient out of bed can be challenging.

Some patients feel insecure or find being lifted painful. Fitting a sling can

be awkward and often you need two carers to effect a safe


transfer but there isn't sufficient help available.

These can all be factors that contribute to limited early patient mobilization, increased work-related injuries and reduced patient wellbeing.

This range of convertible transfer chairs make it possible for a carer to single-handedly transfer a patient out of bed safely and comfortably Transfer System to effect a supine lateral transfer. It's then

using the Patient

just a matter of easily returning the chair to a seated position to transport the patient to inhouse ancillary services or allow them to engage more fully in family or community activities.







The I-400 with patient transfer system in place.

Quick, easy, safe, comfortable supine lateral transfers.





Gas lift assist for easier and safer tilt and recline





Adjustable Headrest height, depth and angle for proper support

Adjustable Leg/Footrest Angle and length adjustments for optimal fit






Anti-bacterial, anti-microbial, breathable material that can be easily disinfected





|       | Overall<br>Width | Seat Width | Length<br>(prone) | Length<br>(wheelchair) | Recline  | Tilt     | Product<br>Weight | Warranty                      | Max User<br>Weight |
|-------|------------------|------------|-------------------|------------------------|----------|----------|-------------------|-------------------------------|--------------------|
| H-250 | 61cm             | 43cm       | 184-203cm         | 124-170cm              | 0° - 70° | 0° - 17° | 62.2kg            | 3 years frame<br>1 year other | 113kg              |
| I-400 | 76cm             | 53cm       | 184-199cm         | 115-159cm              | 0° - 70° | 0° - 17° | 86.6kg            | 3 years frame<br>1 year other | 181kg              |
| I-700 | 89cm             | 65cm       | 184-199cm         | 115-159cm              | 0° - 70° | 0° - 17° | 93.4kg            | 3 years frame<br>1 year other | 318kg              |































|        | XXS     | Jr      | S         | M         | L         | XL        | XXL     |
|--------|---------|---------|-----------|-----------|-----------|-----------|---------|
| Height | < 116cm | < 121cm | 121-167cm | 152-182cm | 182-213cm | 182-213cm | > 198cm |
| Weight | < 40kg  | < 49kg  | 43-68kg   | 56-113kg  | 113-181kg | 181-217kg | > 217kg |



#### General Purpose Slings (No HEAD SUPPORT)



|      | Jr     | 5      | IVI    | L      | XL     | XXL    |
|------|--------|--------|--------|--------|--------|--------|
| Α    | 760    | 830    | 950    | 1100   | 1280   | 1400   |
| В    | 525    | 585    | 645    | 710    | 775    | 825    |
| С    | 470    | 550    | 630    | 710    | 800    | 890    |
| D    | 995    | 1135   | 1275   | 1420   | 1575   | 1715   |
| Code | 700303 | 700306 | 700309 | 700312 | 700315 | 700318 |



|      | Jr     | S      | M      | L      | XL     |
|------|--------|--------|--------|--------|--------|
| Α    | 690    | 770    | 890    | 1050   | 1180   |
| В    | 740    | 810    | 905    | 1095   | 1260   |
| С    | 510    | 590    | 665    | 825    | 1010   |
| D    | 620    | 850    | 940    | 1075   | 1310   |
| Code | 701203 | 701206 | 701209 | 701212 | 701215 |



|      | Jr     | S      | M      | L      | XL     | XXL    |
|------|--------|--------|--------|--------|--------|--------|
| Α    | 760    | 890    | 1030   | 1160   | 1280   | 1400   |
| В    | 525    | 585    | 645    | 710    | 775    | 825    |
| С    | 430    | 510    | 585    | 710    | 840    | 965    |
| D    | 955    | 1095   | 1230   | 1420   | 1615   | 1790   |
| Code | 700103 | 700106 | 700109 | 700112 | 700115 | 700118 |



| CODE     | SIZE / STRAP<br>COLOUR | \$ SHOULDER WIDTH mm | C COCCYX TO SHOULDERS mr |
|----------|------------------------|----------------------|--------------------------|
| SL147181 | Small                  | 500-600              | 480 - 580                |
| SL147281 | Medium                 | 530 - 630            | 550-650                  |
| SL147381 | Large                  | 560 - 700            | 630 - 700                |
| SL147481 | Extra Large            | 1080-1350            | 640-765                  |
| SL147581 | Extra Extra Large      | 1350-1400            | 765-800                  |

#### General Purpose Head Support Slings



| - |      | Jr     | S      | M      | L      | XL     | XXL    |
|---|------|--------|--------|--------|--------|--------|--------|
|   | Α    | 760    | 890    | 1030   | 1160   | 1280   | 1400   |
| D | В    | 760    | 820    | 920    | 1020   | 1120   | 1185   |
| 1 | С    | 470    | 550    | 630    | 710    | 800    | 890    |
|   | D    | 1320   | 1410   | 1560   | 1740   | 1960   | 2195   |
| 1 | Code | 700403 | 700406 | 700409 | 700412 | 700415 | 700418 |



|      | XXS    | Jr     | S      | М      | L      | XL     |
|------|--------|--------|--------|--------|--------|--------|
| Α    | 640    | 685    | 760    | 855    | 1025   | 1180   |
| В    | 720    | 740    | 810    | 905    | 1065   | 1260   |
| С    | 480    | 510    | 590    | 665    | 825    | 1010   |
| D    | 760    | 835    | 1140   | 1235   | 1390   | 1520   |
| Code | 701301 | 701303 | 701306 | 701309 | 701312 | 701315 |



|      | Jr     | S      | М      | L      | XL     | XXL    |
|------|--------|--------|--------|--------|--------|--------|
| Α    | 760    | 890    | 1030   | 1160   | 1280   | 1400   |
| В    | 755    | 815    | 875    | 940    | 1005   | 1055   |
| С    | 430    | 510    | 585    | 710    | 840    | 965    |
| D    | 1185   | 1325   | 1460   | 1650   | 1845   | 2020   |
| Code | 700203 | 700206 | 700209 | 700212 | 700215 | 700218 |



| CODE     | SIZE /STRAPCOLOUR | S SHOULDER WIDTH TOTAL | H COCCYX TO TOP OF HEAD INTO |
|----------|-------------------|------------------------|------------------------------|
| SL146181 | Small             | 500-620                | 650-800                      |
| SL146281 | Medium            | 650-720                | 750 - 950                    |
| SL146381 | Large             | 850 - 1000             | 800-1000                     |
| SL146481 | Espalarge         | 1000 - 1150            | 930 - 1120                   |
| SL146581 | Extra Extra Large | 1100-1300              | 1000 - 1250                  |



|      | Jr     | S      | M      | L      | XL     | XXL    |
|------|--------|--------|--------|--------|--------|--------|
| Α    | 760    | 830    | 950    | 1100   | 1280   | 1400   |
| В    | 760    | 820    | 920    | 1020   | 1120   | 1185   |
| С    | 430    | 510    | 585    | 710    | 840    | 910    |
| D    | 1190   | 1330   | 1505   | 1730   | 1960   | 2095   |
| Code | 700803 | 700806 | 700809 | 700812 | 700815 | 700818 |



| CODE     | SIZE /STRAP COLOUR | S SHOULDER WIDTH | H COCCYX TO TOP OF HEAD |
|----------|--------------------|------------------|-------------------------|
| SL156281 | Medium             | 600-800          | 720 - 900               |
| SL156381 | Large              | 800-1000         | 840-1000                |



#### Hygiene and Head Support Hygiene Slings



|      | Jr     | S      | M      | L      | XL     | XXL    |
|------|--------|--------|--------|--------|--------|--------|
| Α    | 840    | 910    | 985    | 1065   | 1140   | 1220   |
| В    | 265    | 290    | 320    | 345    | 370    | 395    |
| С    | 495    | 545    | 595    | 645    | 700    | 750    |
| D    | 760    | 835    | 915    | 985    | 1070   | 1145   |
| Code | 700503 | 700506 | 700509 | 700512 | 700515 | 700518 |

1100 790

1435

880

1580

| F-A-H |      | Jr     | S      | М      |
|-------|------|--------|--------|--------|
|       | Α    | 860    | 940    | 1010   |
| +     | В    | 540    | 610    | 690    |
| 4     | С    | 495    | 545    | 595    |
|       | D    | 1035   | 1155   | 1285   |
| b 0   | Code | 700703 | 700706 | 700709 |
|       |      |        |        |        |





XXL

980

1730

| CODE     | SIZE /STRAPCOLOUR | S SHOULDER WIDTH mm | T SACRUM TO TOP OF HEAD min |
|----------|-------------------|---------------------|-----------------------------|
| SL246181 | Small             | 650-720             | 500-650                     |
| SL246281 | Medium            | 700 - 850           | 520 - 700                   |
| SL246381 | Large             | 830 - 1020          | 550-750                     |
| SL246481 | (Extra Lárge)     | 900 - 1100          | 650-900                     |
| SL246581 | Extra Extra Large | 1000 - 1180         | 700-900                     |

770-1000

800-1070

850 - 1150

1160 - 1200

#### Hammock Slings



|      | Jr     | S      | M      | L      | XL     | XXL    |
|------|--------|--------|--------|--------|--------|--------|
| Α    | 635    | 685    | 735    | 785    | 840    | 890    |
| В    | 455    | 635    | 815    | 990    | 1170   | 1345   |
| С    | 355    | 380    | 405    | 405    | 405    | 405    |
| D    | 815    | 1015   | 1220   | 1400   | 1575   | 1755   |
| Code | 700603 | 700606 | 700609 | 700612 | 700615 | 700618 |



|      | Jr     | S      | M      | L      | XL     |
|------|--------|--------|--------|--------|--------|
| Α    | 700    | 810    | 930    | 1110   | 1210   |
| В    | 1040   | 1090   | 1150   | 1220   | 1290   |
| Code | 701403 | 701406 | 701409 | 701412 | 701415 |

#### **Pivot General Head Support Slings**



|        | S             | M         | L      | XL     |  |
|--------|---------------|-----------|--------|--------|--|
| Α      | 780           | 790       | 940    | 1020   |  |
| В      | 860           | 890       | 930    | 1050   |  |
| С      | 450           | 540       | 10 600 |        |  |
| D      | 1130          | 1130 1260 |        | 1440   |  |
| Mesh   | 701606        | 701609    | 701612 | 701615 |  |
| Tricot | 701706        | 701709    | 701712 | 701715 |  |
| Spacer | cer 701806 70 |           | 701812 | 701815 |  |
|        |               |           |        |        |  |



| CODE     | SIZE / STRAP COLOUR | S SHOULDER WIDTH mm | H COCCYX TO TOP OF HEAD min |
|----------|---------------------|---------------------|-----------------------------|
| SL146191 | Small               | 600-700             | 640 - 780                   |
| SL146291 | Medium              | 700 - 810           | 750 - 900                   |
| SL146391 | Large               | 760 - 870           | 830 - 1000                  |

#### Pivot Hygiene Slings




| CODE     | SIZE /STRAPCOLOUR | S SHOULDER WIDTHIM |
|----------|-------------------|--------------------|
| SL247191 | Small             | 500-600            |
| SL247291 | Medium            | 530-630            |
| SL247391 | Large             | 560 - 700          |



|      | S      | M      | L      |
|------|--------|--------|--------|
| Α    | 310    | 385    | 395    |
| В    | 370    | 490    | 620    |
| С    | 270    | 370    | 520    |
| D    | 880    | 1020   | 1260   |
| Code | 701506 | 701509 | 701512 |

#### Stand Assist Slings cont.



|      | S                | M       | L       | XL      |  |
|------|------------------|---------|---------|---------|--|
| Α    | <b>A</b> 260 330 |         | 360     | 0 360   |  |
| В    | 840 895          |         | 950     | 1020    |  |
| С    | 950              | 1170    | 1270    | 1810    |  |
| Code | 1484685          | 1484686 | 1484687 | 1484688 |  |



**SA** (08) 7225 8720

|          | S       | M       | L       | XL      |  |
|----------|---------|---------|---------|---------|--|
| A 860 10 |         | 1020    | 1180    | 1230    |  |
| В        | 840     | 895     | 950     | 1020    |  |
| С        | 240     | 260     | 330     | 350     |  |
| Code     | 1484689 | 1484690 | 1484691 | 1485117 |  |



#### Hoist Quick Reference

|      | Width                         | Length           | Lift Height                       | Max Leg<br>Spread | Turning<br>Radius | Clearance | Warranty   | Product<br>Weight | S.W.L. |
|------|-------------------------------|------------------|-----------------------------------|-------------------|-------------------|-----------|--|-------------------|--------|
| 8.   | Birdie EVO Compact            |                  |                                   |                   |                   |           |  |                   |        |
|      | 52cm                          | 108cm            | 53 - 159cm                        | 81.5cm            | 107cm             | 11cm      | Frame - 3 years<br>Electronics - 2 years<br>Battery - 1 year | 31kg              | 150kg  |
| 6    | Birdie EVO (and XPlus)        |                  |                                   |                   |                   |           |  |                   |        |
| 1    | 64cm                          | 122cm            | 41.5 - 166cm                      | 102cm             | 143cm             | 11 - 13cm | Frame - 3 years - Electronics - 2 years                      | 40kg              | 180kg  |
|      | 64cm                          | 128cm            | 41.5 - 166cm                      | 102cm             | 140cm             | 11cm      | Battery - 1 year   | 41kg              | 210kg  |
|      | LiftAid 18                    | <b>80</b> (MHPH0 | 418)                              |                   |                   |           |  |                   |        |
| 8 8  | 61.5cm                        | 109cm            | 43 - 181cm<br>(3 height settings) | 101cm             | 124cm             | 12.5cm    | Lifter - 2 years<br>Actuator - 2 years<br>Battery - 1 year   | 35.3kg            | 180kg  |
|      | <b>LiftAid 320</b> (MHPH0419) |                  |                                   |                   |                   |           |  |                   |        |
| 250  | 79.5cm                        | 141cm            | 60 - 199cm<br>(3 height settings) | 107cm             | 160cm             | 16cm      | Lifter - 2 years<br>Actuator - 2 years<br>Battery - 1 year   | 63.2kg            | 320kg  |
|      | ISA Stan                      | d Assist Li      | fter (Compac                      | ct & XPlus)       |                   |           |  |                   |        |
| -    | 53.5cm                        | 92.5cm           | 50.5 - 67.5cm                     | 73.5cm            | 106cm             | 11-13cm   | Frame - 5 years Electronics - 2 years                        | 43kg              | 140kg  |
|      | 64cm                          | 128cm            | 50.5 - 67.5cm                     | 102cm             | 143cm             | 13cm      | Battery - 1 year   | 52kg              | 200kg  |
|      | Mobi Pro                      | Flexi Tran       | sfer Aid                          |                   |                   |           |  |                   |        |
| Me a | 58.5cm                        | 97cm             | 104cm<br>Product Height           | 70cm              | 115cm             | 10cm      | 5 years  | 19.5kg            | 160kg  |